# Steel Bicycle Frames & Options Made to measure steel frames start at \$2500\* - see last page for what

is included in price. Head tube, brake type and dropouts are build specific. Additional options are listed below. A \$500 deposit is required to reserve your place on the build list today representing a firm verbal commitment to the project. Powder Coat and Liquid Paint Options are available at an additional charge. Options for both mountain and road are



V	JC	ID	IN			١.
-11	ノし	אנ	ШN	IL.	$\cup$	١.


Name:			
Address:			
Phone:			
Email:			
Lucky Nun	nber:	To Be Sta	mped on ST Badge
44 Bike (	Co. Info:		
<b>44</b> Bike Co	ric Henry / Owner · Bui o. mple Road ugh, NH 03082 USA	lder • Connoisseu	JΓ
	3.654.2005 / 9-5pm nry@44bikes.com / All		Time
Each 44® Frant fact that each of don't choose fly rial, paint / fin in these great	Proudly Made in the USA ne is built right from my shop here in one is made by hand in the USA from by night operations; only the finest ishing work. Whenever possible, I 50 states. Your frame is guarantees happen, you're covered. RIDE each	m U.S. sourced materials of craftsmen are employed the spec only OEM's that may be for the life of the rider. The control with pride of the with pride.	whenever possible. for component, mate ake their component
3.g33	VIKINA		

available. Shipping is TBD. Frame & Where Options ☐ Marauder Steel □ 700c □ 29" □ 27.5/650b □ 27Plus □ 29Plus □ Fat □\_\_\_\_\_ Road Steel Options: 44mm Head Tube / Length Dependent \$65-150 PMW Hooded Round Dropouts (Includes Thru Axle & Hanger) .....\$250 PMW SS Hooded Sliders (Includes Inserts, & Thru Axle) \$450 ☐ Flat Mount Disc Brake \$150 ☐ Bottle Mounts (2 Stock) / Rack & Fender Mounts ······· \$20 Additional / Pair □ Internal Dropper Route -----\$250 ☐ Internal Cable Routing \$425/Cable Mountain Steel Options:  $\square$  44mm Head Tube / Length Dependent -------------------\$65-150 PMW Hooded Round Dropouts (Includes Thru Axle & Hanger) \$250  $\square$  PMW SS Hooded Sliders (Includes Inserts, & Thru Axle) ------\$450 ☐ ISO / Post Mount Disc Brake ······\$150 ☐ Bottle Mounts (2 Stock) / Rack Mounts ······\$20 Additional / Pair ☐ Internal Cable Routing ······\$350/Cable Steel Finish Options ☐ Single Color Powder Coat ······Starts @ \$450.00 ☐ 2-Stage Powder Coat (Sparkles, Matte, Candy) ·······Starts @ \$550.00 □ Liquid Finish aka "Paint"······Please Inquire · Prices Vary on Complexity **Decals Options** · Powder Only ☐ Silver ☐ Gold ☐ Black ☐ White ☐ Grey ☐ Red ☐ Blue Fork Options ☐ Unicrown Tapered Steel Fork (With Frame Only)-------Starts @ \$675.00 Suspension Fork \_\_\_\_\_ Road / CX Fork \_\_\_\_\_ ☐ Made to Order Option \_\_\_\_\_

BICYCLE DESIGN - WELDING - SHREDDING - HEAVY LIFTING - GENERAL CONVERSATION - CONNOISSEUR

\*PLEASE NOTE THAT ALL PRICING IS SUBJECT TO CHANGE ANY TIME.

NOTE: IF YOU DO NOT SEE IT, IT IS NOT AVAILABLE. Additional options will be available in the future.




#### Mountain Measurement Key:

- A · Cockpit: Measure from center of handlebars to tip of saddle.
- B · Nose: Measure from saddle tip to the connection between rails and seatpost.
- C · Saddle Length: Measure the saddle tip to tale horizontally.
- D · Saddle Height: Measure center of bottom bracket to center TOP of the saddle.
- \*Please take measurements in inches or millimeters · which ever is easiest for you.

## Additional Measurements:

- 1 · Stem Length and Angle:
- 2 · Seatpost Type:
- 3 · Saddle Type:





## Road Measurement Key:

- A · Cockpit: Measure from center of handlebars to tip of saddle.
- C · Saddle Length: Measure the saddle tip to tale horizontally.
- D · Saddle Height: Measure center of bottom bracket to center TOP of the saddle.
- \*Please take measurements in inches or millimeters · which ever is easiest for you.

## Additional Measurements:


- 1 · Stem Length and Angle:
- 2 · Seatpost Type:
- 3 · Saddle Type: \_\_\_\_\_

Notes:









#### Fit Measurements:

Til Medsoremenis.
1. Inseam: In stocking feet, place book between legs as far 'up' as it will go. Stand in front of wall, make mark, and measure. This is your true inseam.
2. Arm length: Make a "gun" with your thumb and forefinger. From your shoulder, measure to the crotch of your thumb and extended forefinger. This is your arm length.
3. Torso Length:  With book still in between legs, measure to the top of your sternum which is about in line with the center line of your outstretched arm. This is torso length.
4. Height: In stocking feet, stand straight and measure from ground to top of head.
5. Shoe Size: Current cycling shoe to check for toe overlap clearances.
NOTES:

## Mountain/Road 1x or 2x Custom Select

Drivetrain:  Crankset  Bottom Bracket  Shifter/s  Brakes  Front Derailleur  Rear Derailleur  Cassette  Chain
Cockpit:  · Handlebars  · Headset  · Stem  · Seat Post  · Seat Post Collar  · Fork
Wheel System  · Wheel Set  · Tires  · Rotors
Contact Points  · Saddle  · Grips/Bar Tape  · Pedals

#### Notes:

\*Made to Measure Steel Frame Includes: Base price includes design, fabrication, hand-picked tube selection, and in-house formed & fabricated chainstays, seat stays and seat tube. All required filler material, brazing material, argon, tubes and components expertly cleaned and prepped to the highest standards. Head tube, dropout and brake mount are build specific and required - please choose options accordingly. Limited options and finishes are available. Choose options and finish to round out build.